

# EAST SEARCH 01/20/06 TM *Imua L. Kameke*

	Type	Hits	Search Text	DBs
1	BRS	10	translat\$4 with TOS	USPAT
2	BRS	33	translat\$4 same TOS	USPAT
3	BRS	5674	(code or instruct\$4) near2 translat\$4	USPAT
4	BRS	1261	((code or instruct\$4) near2 translat\$4) and stack	USPAT
5	BRS	62	((code or instruct\$4) near2 translat\$4) and stack) and TOS	USPAT
6	BRS	1	"6134573".pn.	USPAT
7	BRS	0	Updat\$3 adj actual adj TOS	USPAT
8	BRS	0	correct\$3 adj actual adj TOS	USPAT
9	BRS	6	correct\$3 adj TOS	USPAT
10	BRS	15	(correct\$3 or updat\$3) adj TOS	USPAT
11	BRS	1	"6134573".pn.	USPAT
12	BRS	0	Rich.xp. and ellis.xp.	USPAT
13	BRS	380	Richard.xp. and ellis.xp.	USPAT
14	BRS	2	(Richard.xp. and ellis.xp.) and object.ti.	USPAT
15	BRS	296	717/136,139,148.ccls.	USPAT
16	BRS	338	712/227.ccls.	USPAT
17	BRS	201	712/209.ccls.	USPAT
18	BRS	10	meonske	USPAT
19	BRS	447922	meonske and Branch target buffer	USPAT
20	BRS	1	meonske and Branch and target and buffer	USPAT
21	BRS	0	"09435065".an.	USPAT
22	BRS	0	"6651162".pn.	USPAT
23	BRS	16552	(TOS or (top near2 stack))	USPAT
24	BRS	14328	((TOS or (top near2 stack))) and stack	USPAT
25	BRS	2	((TOS or (top near2 stack)) with actual with (predic\$5 or speculat\$5)) and stack	USPAT
26	BRS	2	((TOS or (top near2 stack)) with actual with (predic\$5 or speculat\$5 or expect\$3)) and stack	USPAT
27	BRS	6	((TOS or (top near2 stack)) with (actual or real or final) with (predic\$5 or speculat\$5 or expect\$3)) and stack	USPAT
28	BRS	184	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack	USPAT

	Type	Hits	Search Text	DBs
29	BRS	152	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3	USPAT
30	BRS	141	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3 and (compar\$3 or chack\$3)	USPAT
31	BRS	145	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) and translat\$3 and (compar\$3 or check\$3)	USPAT
32	BRS	1	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) same translat\$3 same (compar\$3 or check\$3)	USPAT
33	BRS	20	((TOS or (top near2 stack)) with (predic\$5 or speculat\$5 or expect\$3)) and stack) same translat\$3	USPAT
34	BRS	0	"6725361".URPN.	USPAT
35	BRS	1	"6349383".PN.	USPAT
36	BRS	1	"6212678".PN.	USPAT
37	BRS	1	"5852726".PN.	USPAT
38	BRS	1	"5522051".PN.	USPAT
39	BRS	1	"5551015".PN.	USPAT
40	BRS	1	"5687336".PN.	USPAT
41	BRS	9	ften	USPAT
42	BRS	15	(compar\$3 near2 instruction) with (TOS or (top near2 stack))	USPAT
43	BRS	3036	MULTIPLY SAME ACCUMULAT\$3	USPAT
44	BRS	324	(MULTIPLY SAME ACCUMULAT\$3) and (out near2 order)	USPAT
45	BRS	196	(MULTIPLY near2 ACCUMULAT\$3) and (out near2 order)	USPAT

	Type	Hits	Search Text	DBs
46	BRS	362	(MULTIPLY near2 ACCUMULAT\$3) and (out near2 order)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
47	BRS	9	(MULTIPLY near2 ACCUMULAT\$3) same (out near2 order)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
48	BRS	40	(MULTIPLY near2 ACCUMULAT\$3) and (out near2 order with (complet\$4 or retir\$3))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB